

CLAIM AMENDMENTS

The following is a complete list of claims. The claims below replace all prior versions of the claims in the application. Please amend claims 1, 11, 14 and 18 – 21. Please cancel claim 15. Please add claim 22.

1. (Currently Amended) A post for retaining an item in a storage compartment having a side, the post comprising:
 - a body operable to hold the item; and
 - a coupling element operable to couple the body to the side of the storage compartment and to allow the post to be pivoted. ~~positioned relative to the side in at least two different positions.~~
2. (Original) The post of claim 1 wherein the body is releasably fastened to the side of the storage compartment.
3. (Original) The post of claim 1 wherein the body is pivotable relative to the side of the storage compartment.
4. (Original) The post of claim 1 wherein the coupling element includes a locking element operable to retain the body in at least one of the positions.
5. (Original) The post of claim 1 wherein the at least two different positions include a position where the body is substantially perpendicular to the side and another position where the body is substantially parallel with the side.
6. (Original) The post of claim 1 wherein the coupling element includes a protrusion insertable into a hole.
7. (Original) The post of claim 1 wherein the coupling element includes a protrusion extending from the body, and a hole in the side of the storage compartment operable to receive the protrusion.
8. (Original) The post of claim 1 wherein the body is insertable into a hole of the storage disc.
9. (Original) The post of claim 1 wherein the body is insertable into a hole of the storage disc, and includes a shoulder to support the storage disc away from the side.

10. (Original) The post of claim 1 wherein:
the body includes a first component and a second component, and
the coupling element includes:
a first element operable to couple the first component to the side of
the storage compartment and to allow the first component to be
positioned relative to the side in at least two different positions,
and
a second element operable to couple the second component to the
side of the storage compartment and to allow the second
component to be positioned relative to the side in at least two
different positions.
11. (Currently Amended) A storage compartment comprising:
a bottom and a sidewall that define an interior; and
a post pivotable and operable to retain a storage disc, and including,
a body operable to engage the storage disc; and
a coupling element operable to couple the body to the bottom of the
storage compartment and to allow the body to be positioned
relative to the bottom in at least two different positions.
12. (Original) The storage compartment of claim 11 wherein one position of the
body extends from the bottom into the interior substantially perpendicular to
the bottom.
13. (Original) The storage compartment of claim 11 wherein one position of the
body is disposed in a receptacle of the bottom, below a surface of the bottom.
14. (Currently Amended) A method for storing a storage disc, the method
comprising:
pivoting ~~positioning~~ a body of a post relative to a side of a storage
compartment; and
engaging a hole in the disc with the body.
15. Canceled

16. (Original) The method of claim 14 further comprising retaining the body in the position.
17. (Original) The method of claim 14 further comprising supporting the disc away from the side.
18. (Currently Amended) The method of claim 14 further comprising:
 - disengaging the hole in the disc from the body;
 - positioning ~~repositioning~~ the body relative to the side; and
 - placing another item in the storage compartment.
19. (Currently Amended) The method of claim 18 wherein positioning ~~repositioning~~ the body relative to the side includes pivoting the post relative to the side.
20. (Currently Amended) The method of claim 18 wherein positioning ~~repositioning~~ the body relative to the side includes disposing the body below a surface of the side in a receptacle.
21. (Currently Amended) A computer system comprising:
 - a housing having a storage compartment to retain an item and including:
 - a bottom and a sidewall that define an interior, and
 - a post pivotable and operable to retain a storage disc, and having:
 - a body operable to engage the storage disc; and
 - a coupling element operable to couple the body to the bottom of the storage compartment and to allow the body to be positioned relative to the bottom in at least two different positions; and
 - a processor disposed in the housing.
22. (New) A post for retaining an item in a storage compartment having a side, the post comprising:
 - a body operable to hold the item; and
 - a coupling element operable to couple the body to the side of the storage compartment and to allow the body to be positioned relative to the side

in at least two different positions, the coupling element including a locking element operable to retain the body in at least one of the positions.